

# A solution at your fingertips



## Contents

Bomix is proud to participate in the Well Made Here program

### Construction

Sidewalk and steps / wall and curb / concrete floor and footing (2" and over)

Post installation for fence / Base for patio and swing

Brick, stone and concrete wall elements

Anchoring in concrete and other materials

### Repair

Repairing a damaged concrete surface

Crumbling masonry joints, repointing or caulking

Crack in concrete (horizontal and vertical)

Repairing a crack in a foundation and water infiltration

Garage driveway and asphalt repair

### Finish

Resurfacing and leveling a concrete floor or other surface

Foundation plaster and stucco

Colorant for concrete and mortar / sealer for concrete and pavers / adhesive and fortifier for concrete

# Sidewalks and steps / Slab and curb / Concrete floor and footing (2" and over)



## Bomix® Concrete Mix (1004S30) General purpose concrete



MORE THAN 2"



EASY-MATCH COMPATIBLE



STANDARD ASTM C 387



## Bomix® HR-8000 (1003S30) High strength concrete



MORE THAN 2"



EASY-MATCH COMPATIBLE



HIGH STRENGTH



## Bomix® HYPERCRETE (1014S30) Fast-setting, multi-purpose concrete



AT 24 HOURS



TRAFFIC



AT 28 DAYS



## HPC FastSet™ Concrete mix (158753) Fast-setting, fast-hardening concrete



AT 3 HOURS



AT 24 HOURS




AT 28 DAYS



# Installation of posts for fence / Base for patio and swing



## Bomix® Concrete Mix (1004S30) General purpose concrete



MORE THAN 2"



EASY-MATCH COMPATIBLE



STANDARD ASTM C 387



## Bomix® HR-8000 (1003S30) High strength concrete



MORE THAN 2"




EASY-MATCH COMPATIBLE



HIGH STRENGTH



## Bomix® POSTMIX-30 (1010S30) Fast-setting concrete for setting post without mixing



MORE THAN 2"



MIXING NOT REQUIRED



STANDARD ASTM C 387



## Bomix® HYPERCRETE (1014S30) Fast-setting, multi-purpose concrete



AT 24 HOURS



TRAFFIC



AT 28 DAYS



## HPC FastSet™ Concrete mix (158753) Fast-setting, fast-hardening concrete



AT 3 HOURS



AT 24 HOURS



AT 28 DAYS



# Brick, stone and concrete wall elements



## Bomix® Mortar Mix - GRAY (1007S30) Type N mortar, for bonding masonry units



BRICKS AND BLOCKS



STONES



EASY-MATCH COMPATIBLE



## Bomix® 1-1-6 - GRIS (1307S30) Type N Professional lime-based mortar



BRICKS AND BLOCKS



STONES



EASY-MATCH COMPATIBLE



## Bomix® Mortar Mix - WHITE (1222S30) Type N mortar, for bonding masonry units

\* Product available on order in some stores



BRICKS AND BLOCKS



STONES



EASY-MATCH COMPATIBLE



# Anchoring in concrete and other materials



## Bomix® GROUT-MIX (1006C05) High Strength Non-Shrink Anchor Grout



ANCHORING IN CONCRETE



HIGH FLUIDITY




60 Mpa

HIGH STRENGTH



## HPC FastSet™ All-Crete™ (158727, 158728) Anchoring grout and rapid-setting repair mortar



ANCHORING IN CONCRETE



13.8 MPa

AT 3 HOURS



44.8 MPa

HIGH RESISTANCE



## Bomix® High strength anchoring epoxy (866056) Two-component with extended period of application



MULTI - MATERIALS



VERTICAL / HORIZONTAL



31.1 kN

HIGH STRENGTH



## Bomix® Fastset anchoring epoxy (862055) Two-component and rapid setting



MULTI - MATERIALS



VERTICAL / HORIZONTAL




26.6 kN

HIGH STRENGTH



## Bomix® Construction adhesive (990229) One-component, flexible, all-purpose adhesive



ALMOST ANY SURFACE



VERTICAL / HORIZONTAL



INDOOR / OUTDOOR



# Repairing a damaged concrete surface



## Bomix® VERSAFIX (5097C05 and 5097C15) Ultra-adhesive, fast-setting repair mortar



UP TO 3" THICKNESS



TRAFFIC



VERTICAL / HORIZONTAL



## Bomix® UNICRETE (5095C05 and 5095C15) Polymer modified repair mortar



UP TO 3" THICKNESS



TRAFFIC



EXTENDED APPLICATION



## Bomix® REPAIR EPOXY FOR CONCRETE (866058) High strength, two component



UP TO 1.5" THICKNESS



TRAFFIC



VERTICAL / HORIZONTAL




## HPC FastSet™ Repair mortar (124723, 124724) Fast-setting repair mortar



UP TO 1.5" THICK



AT 3 HOURS



VERTICAL / OVERHEAD



## HPC FastSet™ All-Crete™ (158727, 158728) Anchoring grout and rapid-setting repair mortar



UP TO 2" THICK



AT 3 HOURS




HIGH RESISTANCE





# Crumbling masonry joints, repointing or caulking





Bomix® PERMAFIX (5094C05 and 5094C15)  
**Lime-based repointing mortar for masonry**



Bomix® MORTAR SEALANT (866045)  
**Based on high performance polymer**



Bomix® NON-SAG SEALANT (866048)  
**Based on high performance polymer**



# Crack in concrete (horizontal and vertical)



Bomix® VERSAFIX (5097C05 and 5097C15)  
**Ultra-adhesive, fast-setting repair mortar**



UP TO 3" THICKNESS



TRAFFIC



VERTICAL / HORIZONTAL



Bomix® UNICRETE (5095C05 and 5095C15)  
**Polymer modified repair mortar**



UP TO 3" THICKNESS




TRAFFIC



EXTENDED APPLICATION



Bomix® CONCRETE CRACK SEALANT (866046)  
**Based on high performance polymer**



GLUE ON ALMOST EVERYTHING



REMAIN FLEXIBLE



VERTICAL / HORIZONTAL



Bomix® CRACK REPAIR Fastset (866057)  
**Hybrid polyurethane for structural repairs**



THIN CRACK IN THE GROUND



HIGH FLUIDITY




SELF-LEVELING




Bomix® SELF-LEVELING SEALANT (866047)  
**Based on high performance polymer**

\* Product available on order in some stores



FOR EXPANSION JOINT



REMAIN FLEXIBLE





SELF-LEVELING



# Repairing a crack in a foundation and water infiltration



## Bomix® INJECTEC-R (5300B01) Foundation Urethane Repair Kit



REMAIN FLEXIBLE



COMPLETE KIT



VERTICAL APPLICATION



## Bomix® POLYPLUG (5010C05 and 5010C15) Instant leak stopper mortar



INSTANTANEOUS



APPLICABLE UNDERWATER



VERTICAL / HORIZONTAL



## Bomix® FORTAFIX and FORTAFIX PLUS (6943E03 and 6946B01) Urethane repair for foundations



REMAIN FLEXIBLE



READY TO USE



VERTICAL APPLICATION




## Bomix® SWIFT-PATCH (5080C05) Polymer-modified rapid-setting patching mortar



UP TO 1/2" THICKNESS



GLUE ON ALMOST EVERYTHING



VERTICAL / HORIZONTAL



# Garage driveway and asphalt repair



## Bomix® ASPHALT (1803S30) For urgent repair



MORE THAN 2"



BY COMPACTION



LIGHT TRAFFIC



## Bomix® LOW TEMPERATURE ASPHALT (1810S30) For urgent repair



WINTER INSTALLATION



BY COMPACTION



LIGHT TRAFFIC



## Bomix® GROUT-MIX (1006C05) High Strength Non-Shrink Anchor Grout



WIDE GROUND CRACK



HIGH STRENGTH



ABRASIVE RESISTANT



## HPC FastSet™ All-Crete™ (158727, 158728) Anchoring grout and rapid-setting repair mortar



BIG CRACK IN THE GROUND



HIGH RESISTANCE



AT 3 HOURS



FAST-SETTING  
15 min

# Resurfacing and leveling a concrete floor or other surface



## Bomix® Sand Mix (1005S30) Cement and pre-mixed sand



UP TO 2" THICKNESS



EXTENDED APPLICATION



WIDE GROUND CRACK



## HPC FastSet™ Repair mortar (124723, 124724) Fast-setting repair mortar



UP TO 1.5" THICK



AT 3 HOURS



VERTICAL / OVERHEAD



## Bomix® NIVAFLOW (6932S23) Fast-setting self-leveling finishing grout



UP TO 1.5" THICKNESS



6h

LIGHT TRAFFIC



SELF-LEVELING



## Bomix® SPREAD'N BOND (1008C01, 1008C5 and 1008S23) Polymer Modified Resurfacing Mortar



UP TO 1" THICKNESS



EASY-MATCH COMPATIBLE



VERTICAL / HORIZONTAL



# Foundation plaster and stucco



## Bomix® PARGEMIX - GRIS (1009S30) Ultra-adherent parging mix



UP TO 1/2" THICKNESS



ADHERES TO CONCRETE



INTERIOR / EXTERIOR



## Bomix® STUCCO - GRAY (1215S23) Contractor grade stucco



UP TO 3/4" THICKNESS



ADHERES TO CONCRETE



INTERIOR / EXTERIOR



## Bomix® STUCCO - WHITE (1211S23) Contractor grade stucco



UP TO 3/4" THICKNESS



ADHERES TO CONCRETE



INTERIOR / EXTERIOR



## Bomix® Decor-Lite - WHITE (1201S23) Light white stucco



UP TO 3/4" THICKNESS



GLUE ON ALMOST EVERYTHING




INTERIOR / EXTERIOR



# Colorant for concrete and mortar / sealer for concrete and pavers / adhesive and fortifier for concrete



Bomix® EASY-MATCH - Available in 4 colors  
Coloring system for concrete, mortar and stucco



Bomix® ALL-CRETE (5090C01, 5090C04 and 5090C10)  
Acrylic based concrete fortifier



Bomix® NIVABOND (6933C01 and 6933C03)  
Concrete Adhesive



Bomix® PERMAGUARD (5034C00)  
Protective sealer for concrete and pavers



Bomix® High Density Roller (6946B01)  
Dense fiber roll for PERMAGUARD

